

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

## IAPMO R&T OCEANA

1040 Dandenong Road, Carnegie, VIC 3163 AUSTRALIA



WaterMark



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

# CERTIFICATE OF CONFORMITY

*IAPMO R&T Oceana hereby grants to:*

**Valsir S.p.A.**

Localita Merlaro, 2, , Vestone, Brescia, ITALY, 25078

*the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;– Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules.*

*Evaluated to:*

**AS/NZS 4401 Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings - Polyethylene (PE)**

**AS/NZS 5065 Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications**

*Manufacturer:*

**Valsir S.p.A.**

<b>Certificate No.:</b>	WM-000262	<b>Certification Date:</b>	9 June 2019
<b>First Certified:</b>	9 June 2019	<b>Expiry Date:</b>	8 June 2024

Chief Executive Officer of the IAPMO Group

This WaterMark Certificate of Conformity is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. This Certificate can only be reproduced in its entirety. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate".

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).



# WATERMARK CERTIFICATE OF CONFORMITY

## SCHEDULE OF CERTIFIED PRODUCT



**Licence Holder:** Valsir S.p.A.  
**Address:** Localita Merlaro, 2  
 Vestone Brescia 25078  
 ITALY  
**A.B.N.:** N/A  
**Manufacturer:** Valsir S.p.A.  
**Licence No.:** WM-000262  
**Certification Date:** 9-Jun-19  
**Expiry Date:** 8-Jun-24  
**First Certified:** 9-Jun-19  
**Standard/s:** AS/NZS 4401 - 2006 Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings - Polyethylene (PE)  
 AS/NZS 5065 - 2005 (Inc. Amdt 1 & Amdt 2) Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications

*Model identification of the products on which the WaterMark logo may be used*  
**Licence No.:** WM-000262

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0300001	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN32 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300003	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN40 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300005	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN50 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300006	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN56 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300007	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN63 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300009	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN75 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300011	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN90 (thickness 3.5 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300013	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 5000 mm)	DN110 (thickness 4.3 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0301000	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN32 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0301001	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN40 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0301003	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN50 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006

**Std/Spec:** AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0301004	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN56 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0301005	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN63 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0301007	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN75 (thickness 3.0 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0301009	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN90 (thickness 3.5 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0301011	Polyethylene: HDPE/Non-pressure inside building	pipe (length: 3000 mm)	DN110 (thickness 4.3 mm)	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302003	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302005	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302006	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302007	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302009	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302011	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302013	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0302015	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 125	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0304000	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 32	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0304001	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0304003	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0304004	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0304005	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 63	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	VS0304007	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0304009	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0304011	Polyethylene: HDPE/Non-pressure inside building	88° 30' bend	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0305001	Polyethylene: HDPE/Non-pressure inside building	45° bend with socket branch	DN 110/40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306001	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 32	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306003	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306005	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306006	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306007	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 63	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306009	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306011	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0306013	Polyethylene: HDPE/Non-pressure inside building	45° bend	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0307001	Polyethylene: HDPE/Non-pressure inside building	180° bend	DN 40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0307003	Polyethylene: HDPE/Non-pressure inside building	180° bend	DN 50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0307004	Polyethylene: HDPE/Non-pressure inside building	180° bend	DN 56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0307005	Polyethylene: HDPE/Non-pressure inside building	180° bend	DN 63	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0307007	Polyethylene: HDPE/Non-pressure inside building	180° bend	DN 75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0307009	Polyethylene: HDPE/Non-pressure inside building	180° bend	DN 90	HDPE Black	AS/NZS 4401 - 2006	

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0307011	Polyethylene: HDPE/Non-pressure inside building	180° bend	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0308001	Polyethylene: HDPE/Non-pressure inside building	90° reducing bend	DN 50/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0308003	Polyethylene: HDPE/Non-pressure inside building	90° reducing bend	DN 63/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309001	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 32	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309003	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309005	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309006	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309007	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309009	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309011	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0309013	Polyethylene: HDPE/Non-pressure inside building	45° Equal branch	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310001	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 40/32	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310003	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 50/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310004	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 56/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310005	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 63/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310006	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 90/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310007	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 63/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310008	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 63/56	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0310009	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 75/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310010	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 90/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310011	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 75/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310012	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 75/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310013	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 90/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310014	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 75/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310015	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 90/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310017	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 110/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310018	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 90/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310019	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310020	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310021	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 110/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310023	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310025	Polyethylene: HDPE/Non-pressure inside building	45° Reducing branch	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310951	Polyethylene: HDPE/Non-pressure inside building	4 way riser	DN 110/63/63/63/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310953	Polyethylene: HDPE/Non-pressure inside building	4 way riser	DN 110/63/63/63/63/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0310955	Polyethylene: HDPE/Non-pressure inside building	4 way riser	DN 110/50/56/50/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312001	Polyethylene: HDPE/Non-pressure inside building	88° 30 Equal branch	DN 32	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0312003	Polyethylene: HDPE/Non-pressure inside building	88°30 Equal branch	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312005	Polyethylene: HDPE/Non-pressure inside building	88°30 Equal branch	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312006	Polyethylene: HDPE/Non-pressure inside building	88°30 Equal branch	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312007	Polyethylene: HDPE/Non-pressure inside building	88°30 Equal branch	DN 63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312009	Polyethylene: HDPE/Non-pressure inside building	88°30 Equal branch	DN 75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312011	Polyethylene: HDPE/Non-pressure inside building	88°30 Equal branch	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312013	Polyethylene: HDPE/Non-pressure inside building	88°30 Equal branch	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0312025	Polyethylene: HDPE/Non-pressure inside building	88°30 Swept branch	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313001	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 40/32	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313002	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 56/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313003	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 50/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313004	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 75/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313005	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 75/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313006	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 75/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313007	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 90/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313008	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 63/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313009	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 90/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313010	Polyethylene: HDPE/Non-pressure inside building	88°30 Reducing branch	DN 75/63	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0313011	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 110/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313012	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 63/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313013	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313014	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313015	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 110/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313017	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313019	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313028	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 90/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313034	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 90/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0313036	Polyethylene: HDPE/Non-pressure inside building	88°30' Reducing branch	DN 90/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0314001	Polyethylene: HDPE/Non-pressure inside building	45° Double reducing branch	DN 110/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0314003	Polyethylene: HDPE/Non-pressure inside building	45° Double reducing branch	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0314005	Polyethylene: HDPE/Non-pressure inside building	45° Double reducing branch	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0316001	Polyethylene: HDPE/Non-pressure inside building	60° Double branch	DN 50/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0316003	Polyethylene: HDPE/Non-pressure inside building	60° Double branch	DN 63/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0316011	Polyethylene: HDPE/Non-pressure inside building	60° Double branch	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0316175	Polyethylene: HDPE/Non-pressure inside building	Ventilation branch	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318001	Polyethylene: HDPE/Non-pressure inside building	180° 2-ways ball fitting	DN 110/50	HDPE Black	AS/NZS 4401 - 2006



Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0318002	Polyethylene: HDPE/Non-pressure inside building	180° 2-ways ball fitting	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318003	Polyethylene: HDPE/Non-pressure inside building	180° 2-ways ball fitting	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318004	Polyethylene: HDPE/Non-pressure inside building	180° 2-ways ball fitting	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318005	Polyethylene: HDPE/Non-pressure inside building	180° 2-ways ball fitting	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318015	Polyethylene: HDPE/Non-pressure inside building	90° 2-ways ball fitting	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318016	Polyethylene: HDPE/Non-pressure inside building	90° 2-ways ball fitting	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318017	Polyethylene: HDPE/Non-pressure inside building	90° 2-ways ball fitting	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318019	Polyethylene: HDPE/Non-pressure inside building	90° 2-ways ball fitting	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318020	Polyethylene: HDPE/Non-pressure inside building	90° 2-ways ball fitting	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318033	Polyethylene: HDPE/Non-pressure inside building	135° 2-ways ball fitting	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318034	Polyethylene: HDPE/Non-pressure inside building	135° 2-ways ball fitting	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318035	Polyethylene: HDPE/Non-pressure inside building	135° 2-ways ball fitting	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318036	Polyethylene: HDPE/Non-pressure inside building	135° 2-ways ball fitting	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0318037	Polyethylene: HDPE/Non-pressure inside building	135° 2-ways ball fitting	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320001	Polyethylene: HDPE/Non-pressure inside building	90° 3-ways ball fitting	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320002	Polyethylene: HDPE/Non-pressure inside building	90° 3-ways ball fitting	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320003	Polyethylene: HDPE/Non-pressure inside building	90° 3-ways ball fitting	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320005	Polyethylene: HDPE/Non-pressure inside building	90° 3-ways ball fitting	DN 110/110	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0320006	Polyethylene: HDPE/Non-pressure inside building	90° 3-ways ball fitting	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320015	Polyethylene: HDPE/Non-pressure inside building	135° 3-ways ball fitting	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320016	Polyethylene: HDPE/Non-pressure inside building	135° 3-ways ball fitting	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320017	Polyethylene: HDPE/Non-pressure inside building	135° 3-ways ball fitting	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0320019	Polyethylene: HDPE/Non-pressure inside building	135° 3-ways ball fitting	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0322001	Polyethylene: HDPE/Non-pressure inside building	90° 4-ways ball fitting	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0322002	Polyethylene: HDPE/Non-pressure inside building	90° 4-ways ball fitting	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0322003	Polyethylene: HDPE/Non-pressure inside building	90° 4-ways ball fitting	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0322005	Polyethylene: HDPE/Non-pressure inside building	90° 4-ways ball fitting	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324000	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 32	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324001	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324003	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324004	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324005	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324006	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 63/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324007	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324009	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0324011	Polyethylene: HDPE/Non-pressure inside building	Ring seal adaptor with cap	DN 110	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	VS0324992	Polyethylene: HDPE/Non-pressure inside building	Connector copper/ HDPE	DN 50/56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0324993	Polyethylene: HDPE/Non-pressure inside building	Connector copper/ HDPE	DN 50/63	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0324994	Polyethylene: HDPE/Non-pressure inside building	Connector copper/ HDPE	DN 65/75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0326001	Polyethylene: HDPE/Non-pressure inside building	Short ring seal adaptor with cap	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0326003	Polyethylene: HDPE/Non-pressure inside building	Short ring seal adaptor with cap	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328000	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 32	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328001	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328003	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328004	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328005	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 63	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328007	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328009	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0328012	Polyethylene: HDPE/Non-pressure inside building	Expansion joint with cap	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0330001	Polyethylene: HDPE/Non-pressure inside building	Spigot bend with cap	DN 32	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0330003	Polyethylene: HDPE/Non-pressure inside building	Spigot bend with cap	DN 40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0330005	Polyethylene: HDPE/Non-pressure inside building	Spigot bend with cap	DN 50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0330007	Polyethylene: HDPE/Non-pressure inside building	Spigot bend with cap	DN 50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0330009	Polyethylene: HDPE/Non-pressure inside building	Spigot bend with cap	DN 50	HDPE Black	AS/NZS 4401 - 2006	

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0330011	Polyethylene: HDPE/Non-pressure inside building	Spigot bend with cap	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0331005	Polyethylene: HDPE/Non-pressure inside building	Extended Spigot bend	DN 50/44	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0331006	Polyethylene: HDPE/Non-pressure inside building	Extended Spigot bend	DN 56/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332000	Polyethylene: HDPE/Non-pressure inside building	Trap adapter	DN 32/46	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332001	Polyethylene: HDPE/Non-pressure inside building	Trap adapter	DN 40/46	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332003	Polyethylene: HDPE/Non-pressure inside building	Trap adapter	DN 50/46	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332005	Polyethylene: HDPE/Non-pressure inside building	Trap adapter	DN 50/58	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332007	Polyethylene: HDPE/Non-pressure inside building	Trap adapter	DN 56/46	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332009	Polyethylene: HDPE/Non-pressure inside building	Trap adapter	DN 56/58	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332990	Polyethylene: HDPE/Non-pressure inside building	Connector PVC/ HDPE	DN 40/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0332991	Polyethylene: HDPE/Non-pressure inside building	Connector copper/ HDPE	DN 40/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0333001	Polyethylene: HDPE/Non-pressure inside building	Sleeve for high-level flush cistern	DN 32/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336000	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 40/32	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336001	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 50/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336002	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 56/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336003	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 63/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336005	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 63/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336006	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 63/56	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0336007	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 75/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336009	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 75/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336010	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 75/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336011	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 75/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336013	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 90/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336015	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 90/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336016	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 90/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336017	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 90/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336019	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 90/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336021	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 110/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336023	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336024	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336025	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 110/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336027	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0336029	Polyethylene: HDPE/Non-pressure inside building	Concentric reducer	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0338001	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0338003	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0338004	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 56	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0338005	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0338006	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 63/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0338007	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0338009	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0338011	Polyethylene: HDPE/Non-pressure inside building	Threaded coupling	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340001	Polyethylene: HDPE/Non-pressure inside building	Screwed end cap	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340003	Polyethylene: HDPE/Non-pressure inside building	Screwed end cap	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340004	Polyethylene: HDPE/Non-pressure inside building	Screwed end cap	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340005	Polyethylene: HDPE/Non-pressure inside building	Screwed end cap	DN 63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340007	Polyethylene: HDPE/Non-pressure inside building	Screwed end cap	DN 75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340009	Polyethylene: HDPE/Non-pressure inside building	Screwed end cap	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340011	Polyethylene: HDPE/Non-pressure inside building	Screwed end cap	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0340111	Polyethylene: HDPE/Non-pressure inside building	Pipe end low type	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0344001	Polyethylene: HDPE/Non-pressure inside building	Anchor pipe	DN 40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0344003	Polyethylene: HDPE/Non-pressure inside building	Anchor pipe	DN 50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0344004	Polyethylene: HDPE/Non-pressure inside building	Anchor pipe	DN 56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0344005	Polyethylene: HDPE/Non-pressure inside building	Anchor pipe	DN 63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0344007	Polyethylene: HDPE/Non-pressure inside building	Anchor pipe	DN 75	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	VS0344009	Polyethylene: HDPE/Non-pressure inside building	Anchor pipe	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0344011	Polyethylene: HDPE/Non-pressure inside building	Anchor pipe	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0347005	Polyethylene: HDPE/Non-pressure inside building	Stub end	DN 56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0347007	Polyethylene: HDPE/Non-pressure inside building	Stub end	DN 63	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0347009	Polyethylene: HDPE/Non-pressure inside building	Stub end	DN 75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0347011	Polyethylene: HDPE/Non-pressure inside building	Stub end	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0347013	Polyethylene: HDPE/Non-pressure inside building	Stub end	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0348001	Polyethylene: HDPE/Non-pressure inside building	90° access pipe with screw cap	DN 40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0348003	Polyethylene: HDPE/Non-pressure inside building	90° access pipe with screw cap	DN 50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0348004	Polyethylene: HDPE/Non-pressure inside building	90° access pipe with screw cap	DN 56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0348005	Polyethylene: HDPE/Non-pressure inside building	90° access pipe with screw cap	DN 63	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0348007	Polyethylene: HDPE/Non-pressure inside building	90° access pipe with screw cap	DN 75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0348009	Polyethylene: HDPE/Non-pressure inside building	90° access pipe with screw cap	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0348011	Polyethylene: HDPE/Non-pressure inside building	90° access pipe with screw cap	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0350001	Polyethylene: HDPE/Non-pressure inside building	Electro weld coupler	DN 40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0350003	Polyethylene: HDPE/Non-pressure inside building	Electro weld coupler	DN 50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0350004	Polyethylene: HDPE/Non-pressure inside building	Electro weld coupler	DN 56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0350005	Polyethylene: HDPE/Non-pressure inside building	Electro weld coupler	DN 63	HDPE Black	AS/NZS 4401 - 2006	

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	VS0350007	Polyethylene: HDPE/Non-pressure inside building	Electro weld coupler	DN 75	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0350009	Polyethylene: HDPE/Non-pressure inside building	Electro weld coupler	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0350011	Polyethylene: HDPE/Non-pressure inside building	Electro weld coupler	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0352001	Polyethylene: HDPE/Non-pressure inside building	WC pan connector	DN 90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0352003	Polyethylene: HDPE/Non-pressure inside building	WC pan connector	DN 110	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0353001	Polyethylene: HDPE/Non-pressure inside building	Male PVC adaptor	DN 90/100	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0353003	Polyethylene: HDPE/Non-pressure inside building	Male PVC adaptor	DN 110/100	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0353005	Polyethylene: HDPE/Non-pressure inside building	Female PVC adaptor	DN 90/100	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0353007	Polyethylene: HDPE/Non-pressure inside building	Female PVC adaptor	DN 110/100	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0354001	Polyethylene: HDPE/Non-pressure inside building	WC connector for PVC	DN 100	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0356001	Polyethylene: HDPE/Non-pressure inside building	Extended WC pan connector	DN 90/90	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0356003	Polyethylene: HDPE/Non-pressure inside building	Extended WC pan connector	DN 110/100	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0358001	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 50/40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0358002	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 50/50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0358003	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 63/40	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0358005	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 63/50	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0358006	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 63/56	HDPE Black	AS/NZS 4401 - 2006	
Valsir	Valsir HDPE	VS0358007	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 75/40	HDPE Black	AS/NZS 4401 - 2006	



Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0358009	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 75/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358010	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 75/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358011	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 75/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358013	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 90/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358015	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 90/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358016	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 90/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358017	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 90/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358019	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 90/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358021	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 110/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358023	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358024	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358025	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 110/63	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358027	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0358029	Polyethylene: HDPE/Non-pressure inside building	Short eccentric reducer	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0359001	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0359003	Polyethylene: HDPE/Non-pressure inside building	90° bend	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0360001	Polyethylene: HDPE/Non-pressure inside building	WC bend	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0360003	Polyethylene: HDPE/Non-pressure inside building	WC bend	DN 110	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	Valsir HDPE	VS0361001	Polyethylene: HDPE/Non-pressure inside building	Extended floor pan connector	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0362001	Polyethylene: HDPE/Non-pressure inside building	WC extended bend	DN 90/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0362003	Polyethylene: HDPE/Non-pressure inside building	WC extended bend	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0362125	Polyethylene: HDPE/Non-pressure inside building	WC extended bend	DN 110/125	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0363001	Polyethylene: HDPE/Non-pressure inside building	WC extended bend (branch on right)	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0363003	Polyethylene: HDPE/Non-pressure inside building	WC extended bend (branch on left)	DN 110/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0364001	Polyethylene: HDPE/Non-pressure inside building	WC bend for hanging pan	DN 90/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0364003	Polyethylene: HDPE/Non-pressure inside building	WC bend for hanging pan	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0364008	Polyethylene: HDPE/Non-pressure inside building	Bend 90x90x400	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0364111	Polyethylene: HDPE/Non-pressure inside building	WC bend for hanging pan	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0365001	Polyethylene: HDPE/Non-pressure inside building	WC pan connector	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0365003	Polyethylene: HDPE/Non-pressure inside building	WC pan connector	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0366001	Polyethylene: HDPE/Non-pressure inside building	Connector for hanging pan	DN 90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0366003	Polyethylene: HDPE/Non-pressure inside building	Connector for hanging pan	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0367003	Polyethylene: HDPE/Non-pressure inside building	Connector for hanging pan	DN 110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0368001	Polyethylene: HDPE/Non-pressure inside building	Double WC pan connector	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0368003	Polyethylene: HDPE/Non-pressure inside building	Double WC pan connector	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	Valsir HDPE	VS0370001	Polyethylene: HDPE/Non-pressure inside building	Bend for hanging pan (left)	DN 110/110	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	VS0370003		Polyethylene: HDPE/Non-pressure inside building	Bend for hanging pan (left)	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0372001		Polyethylene: HDPE/Non-pressure inside building	Bend for hanging pan (right)	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0372003		Polyethylene: HDPE/Non-pressure inside building	Bend for hanging pan (right)	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0374001		Polyethylene: HDPE/Non-pressure inside building	WC double bend for hanging pan	DN 110/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0374003		Polyethylene: HDPE/Non-pressure inside building	WC double bend for hanging pan	DN 110/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0377111		Polyethylene: HDPE/Non-pressure inside building	Shorter reducer	DN 50/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0382001		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 90/110	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0382003		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 110/125	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0382005		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 110/140	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383001		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 50/60	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383003		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 50/73	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383005		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 50/80	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383007		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 50/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383009		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 50/100	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383011		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 56/73	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383015		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 56/80	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383017		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 56/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383019		Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 56/100	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0383021	Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 63/73	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383023	Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 63/80	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383025	Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 63/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383027	Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 63/100	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383029	Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 75/80	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383031	Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 75/90	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0383033	Polyethylene: HDPE/Non-pressure inside building	Adaptor (cast iron, steel)	DN 75/100	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564075	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 75/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564121	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 40/40	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564123	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 50/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564131	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 75/80	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564150	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 50/100	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564175	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 70/100	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564182	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 75/82	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0564190	Polyethylene: HDPE/Non-pressure inside building	PVC adaptor (solvent weld)	DN 90/100	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0333103	Polyethylene: HDPE/Non-pressure inside building	4 way Floor Riser	DN 90/50	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0333104	Polyethylene: HDPE/Non-pressure inside building	4 way Floor Riser	DN 90/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0333105	Polyethylene: HDPE/Non-pressure inside building	4 way Floor Riser	DN 110/50	HDPE Black	AS/NZS 4401 - 2006

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Valsir	Valsir HDPE	VS0333106	Polyethylene: HDPE/Non-pressure inside building	4 way Floor Riser	DN 110/56	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0333107	Polyethylene: HDPE/Non-pressure inside building	4 way Floor Riser	DN 110/75	HDPE Black	AS/NZS 4401 - 2006
Valsir	Valsir HDPE	VS0300015	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN125 (thickness 4.9 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0300017	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN160 (thickness 6.2 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0300019	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN200 (thickness 6.2 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0300021	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN250 (thickness 7.8 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0300023	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN315 (thickness 9.8 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0301013	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 3000 mm)	DN125 (thickness 4.9 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0301015	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 3000 mm)	DN160 (thickness 6.2 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0302015	Polyethylene: HDPE/Non-pressure below ground	90° bend	DN 125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0302017	Polyethylene: HDPE/Non-pressure below ground	90° bend	DN 160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0302019	Polyethylene: HDPE/Non-pressure below ground	90° bend	DN 200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0302021	Polyethylene: HDPE/Non-pressure below ground	90° bend	DN 250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0302023	Polyethylene: HDPE/Non-pressure below ground	90° bend	DN 315	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0304013	Polyethylene: HDPE/Non-pressure below ground	88° 30' bend	DN 125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0304015	Polyethylene: HDPE/Non-pressure below ground	88° 30' bend	DN 160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0306015	Polyethylene: HDPE/Non-pressure below ground	45° bend	DN 125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0306017	Polyethylene: HDPE/Non-pressure below ground	45° bend	DN 160	HDPE Black	AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0306019	Polyethylene: HDPE/Non-pressure below ground	45° bend	DN 200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0306021	Polyethylene: HDPE/Non-pressure below ground	45° bend	DN 250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0306023	Polyethylene: HDPE/Non-pressure below ground	45° bend	DN 315	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0309015	Polyethylene: HDPE/Non-pressure below ground	45° Equal branch	DN 125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0309017	Polyethylene: HDPE/Non-pressure below ground	45° Equal branch	DN 160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0309019	Polyethylene: HDPE/Non-pressure below ground	45° Equal branch	DN 200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0309021	Polyethylene: HDPE/Non-pressure below ground	45° Equal branch	DN 250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0309023	Polyethylene: HDPE/Non-pressure below ground	45° Equal branch	DN 315	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310027	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 125/40	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310029	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310030	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 125/56	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310031	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 125/63	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310033	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 125/75	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310035	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 125/90	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310037	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 125/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310039	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 160/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310041	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 160/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310043	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 200/110	HDPE Black	AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0310045	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 200/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310047	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 200/160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310049	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 250/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310051	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 250/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310053	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 250/160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310055	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 250/200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310057	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 315/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310059	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 315/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310061	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 315/160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310063	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 315/200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310065	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 315/250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0312015	Polyethylene: HDPE/Non-pressure below ground	88°30 Equal branch	DN 125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0312017	Polyethylene: HDPE/Non-pressure below ground	88°30 Equal branch	DN 160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0312019	Polyethylene: HDPE/Non-pressure below ground	88°30 Equal branch	DN 200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0312021	Polyethylene: HDPE/Non-pressure below ground	88°30 Equal branch	DN 250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0312023	Polyethylene: HDPE/Non-pressure below ground	88°30 Equal branch	DN 315	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313021	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 125/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313023	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 160/110	HDPE Black	AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0313025	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 160/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313027	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 200/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313029	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 200/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313031	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 200/160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313033	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 250/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313035	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 250/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313037	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 250/160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313039	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 250/200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313041	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 315/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313043	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 315/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313045	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 315/160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313047	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 315/200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0313049	Polyethylene: HDPE/Non-pressure below ground	88°30 Reducing branch	DN 315/250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0316179	Polyethylene: HDPE/Non-pressure below ground	Ventilation branch	DN 160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318007	Polyethylene: HDPE/Non-pressure below ground	180° 2-ways ball fitting	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318008	Polyethylene: HDPE/Non-pressure below ground	180° 2-ways ball fitting	DN 125/56	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318009	Polyethylene: HDPE/Non-pressure below ground	180° 2-ways ball fitting	DN 125/75	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318011	Polyethylene: HDPE/Non-pressure below ground	180° 2-ways ball fitting	DN 125/110	HDPE Black	AS/NZS 5065 - 2005



Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0318013	Polyethylene: HDPE/Non-pressure below ground	180° 2-ways ball fitting	DN 125/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS318021	Polyethylene: HDPE/Non-pressure below ground	90° 2-ways ball fitting	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318022	Polyethylene: HDPE/Non-pressure below ground	90° 2-ways ball fitting	DN 125/56	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318023	Polyethylene: HDPE/Non-pressure below ground	90° 2-ways ball fitting	DN 125/75	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318025	Polyethylene: HDPE/Non-pressure below ground	90° 2-ways ball fitting	DN 125/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318031	Polyethylene: HDPE/Non-pressure below ground	90° 2-ways ball fitting	DN 125/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318039	Polyethylene: HDPE/Non-pressure below ground	135° 2-ways ball fitting	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318040	Polyethylene: HDPE/Non-pressure below ground	135° 2-ways ball fitting	DN 125/56	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318041	Polyethylene: HDPE/Non-pressure below ground	135° 2-ways ball fitting	DN 125/75	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318043	Polyethylene: HDPE/Non-pressure below ground	135° 2-ways ball fitting	DN 125/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0318045	Polyethylene: HDPE/Non-pressure below ground	135° 2-ways ball fitting	DN 125/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0320007	Polyethylene: HDPE/Non-pressure below ground	90° 3-ways ball fitting	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0320008	Polyethylene: HDPE/Non-pressure below ground	90° 3-ways ball fitting	DN 125/56	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0320009	Polyethylene: HDPE/Non-pressure below ground	90° 3-ways ball fitting	DN 125/75	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0320011	Polyethylene: HDPE/Non-pressure below ground	90° 3-ways ball fitting	DN 125/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0320013	Polyethylene: HDPE/Non-pressure below ground	90° 3-ways ball fitting	DN 125/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0320021	Polyethylene: HDPE/Non-pressure below ground	135° 3-ways ball fitting	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0320022	Polyethylene: HDPE/Non-pressure below ground	135° 3-ways ball fitting	DN 125/56	HDPE Black	AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	VS0320023	Polyethylene: HDPE/Non-pressure below ground	135° 3-ways ball fitting	DN 125/75	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0320025	Polyethylene: HDPE/Non-pressure below ground	135° 3-ways ball fitting	DN 125/110	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0320027	Polyethylene: HDPE/Non-pressure below ground	135° 3-ways ball fitting	DN 125/125	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0322007	Polyethylene: HDPE/Non-pressure below ground	90° 4-ways ball fitting	DN 125/50	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0322008	Polyethylene: HDPE/Non-pressure below ground	90° 4-ways ball fitting	DN 125/56	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0322009	Polyethylene: HDPE/Non-pressure below ground	90° 4-ways ball fitting	DN 125/75	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0322011	Polyethylene: HDPE/Non-pressure below ground	90° 4-ways ball fitting	DN 125/110	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0322013	Polyethylene: HDPE/Non-pressure below ground	90° 4-ways ball fitting	DN 125/125	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0324013	Polyethylene: HDPE/Non-pressure below ground	Ring seal adaptor with cap	DN 125	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0324015	Polyethylene: HDPE/Non-pressure below ground	Ring seal adaptor with cap	DN 160	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0324017	Polyethylene: HDPE/Non-pressure below ground	Ring seal adaptor with cap	DN 200	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0324019	Polyethylene: HDPE/Non-pressure below ground	Ring seal adaptor without cap	DN 250	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0324021	Polyethylene: HDPE/Non-pressure below ground	Ring seal adaptor without cap	DN 315	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0328013	Polyethylene: HDPE/Non-pressure below ground	Expansion joint with cap	DN 125	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0328015	Polyethylene: HDPE/Non-pressure below ground	Expansion joint with cap	DN 160	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0328017	Polyethylene: HDPE/Non-pressure below ground	Expansion joint with cap	DN 200	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0328019	Polyethylene: HDPE/Non-pressure below ground	Expansion joint without cap	DN 250	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0328021	Polyethylene: HDPE/Non-pressure below ground	Expansion joint with cap	DN 315	HDPE Black	AS/NZS 5065 - 2005	

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262

Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0336031	Polyethylene: HDPE/Non-pressure below ground	Concentric reducer	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0336032	Polyethylene: HDPE/Non-pressure below ground	Concentric reducer	DN 125/56	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0336033	Polyethylene: HDPE/Non-pressure below ground	Concentric reducer	DN 125/63	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0336035	Polyethylene: HDPE/Non-pressure below ground	Concentric reducer	DN 125/75	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0336037	Polyethylene: HDPE/Non-pressure below ground	Concentric reducer	DN 125/90	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0336039	Polyethylene: HDPE/Non-pressure below ground	Concentric reducer	DN 125/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0336041	Polyethylene: HDPE/Non-pressure below ground	Concentric reducer	DN 160/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0344015	Polyethylene: HDPE/Non-pressure below ground	Anchor pipe	DN 160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0344017	Polyethylene: HDPE/Non-pressure below ground	Anchor pipe	DN 200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0344019	Polyethylene: HDPE/Non-pressure below ground	Anchor pipe	DN 250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0344021	Polyethylene: HDPE/Non-pressure below ground	Anchor pipe	DN 315	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0347013	Polyethylene: HDPE/Non-pressure below ground	Stub end	DN 110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0347015	Polyethylene: HDPE/Non-pressure below ground	Stub end	DN 125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0347017	Polyethylene: HDPE/Non-pressure below ground	Stub end	DN 140	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0347019	Polyethylene: HDPE/Non-pressure below ground	Stub end	DN 160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0347021	Polyethylene: HDPE/Non-pressure below ground	Stub end	DN 200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0347023	Polyethylene: HDPE/Non-pressure below ground	Stub end	DN 250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0347025	Polyethylene: HDPE/Non-pressure below ground	Stub end	DN 315	HDPE Black	AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Brand Name		Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Licence No.: WM-000262								
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005								
Valsir	Valsir HDPE	VS0348013	Polyethylene: HDPE/Non-pressure below ground	90° access pipe with screw cap	DN 125	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0348015	Polyethylene: HDPE/Non-pressure below ground	90° access pipe with screw cap	DN 160	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0348017	Polyethylene: HDPE/Non-pressure below ground	90° access pipe with screw cap	DN 200	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0348019	Polyethylene: HDPE/Non-pressure below ground	90° access pipe with screw cap	DN 250	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0348021	Polyethylene: HDPE/Non-pressure below ground	90° access pipe with screw cap	DN 315	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0350013	Polyethylene: HDPE/Non-pressure below ground	Electro weld coupler	DN 125	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0350015	Polyethylene: HDPE/Non-pressure below ground	Electro weld coupler	DN 160	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0350117	Polyethylene: HDPE/Non-pressure below ground	Electro weld coupler	DN 200	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0350119	Polyethylene: HDPE/Non-pressure below ground	Electro weld coupler	DN 250	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0350121	Polyethylene: HDPE/Non-pressure below ground	Electro weld coupler	DN 315	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0353001	Polyethylene: HDPE/Non-pressure below ground	Male PVC adaptor	DN 90/100	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0353003	Polyethylene: HDPE/Non-pressure below ground	Male PVC adaptor	DN 110/100	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0355017	Polyethylene: HDPE/Non-pressure below ground	Sliding connector	DN 160/150	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0355019	Polyethylene: HDPE/Non-pressure below ground	Sliding connector	DN 200/200	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0355021	Polyethylene: HDPE/Non-pressure below ground	Sliding connector	DN 250/250	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0355023	Polyethylene: HDPE/Non-pressure below ground	Sliding connector	DN 315/300	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0357017	Polyethylene: HDPE/Non-pressure below ground	Ring seal socket	DN 160	HDPE Black	AS/NZS 5065 - 2005	
Valsir	Valsir HDPE	VS0357019	Polyethylene: HDPE/Non-pressure below ground	Ring seal socket	DN 200	HDPE Black	AS/NZS 5065 - 2005	

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0357021	Polyethylene: HDPE/Non-pressure below ground	Ring seal socket	DN 250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0357023	Polyethylene: HDPE/Non-pressure below ground	Ring seal socket	DN 315	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358031	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 125/50	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358032	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 125/56	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358033	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 125/63	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358035	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 125/75	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358037	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 125/90	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358038	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 160/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358039	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 125/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358040	Polyethylene: HDPE/Non-pressure below ground	Short eccentric reducer	DN 160/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358041	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 160/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358043	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 160/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358045	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 200/110	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358047	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 200/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358049	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 200/160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358055	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 250/200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358061	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 315/200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0358063	Polyethylene: HDPE/Non-pressure below ground	Long eccentric reducer	DN 315/250	HDPE Black	AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Std/Spec: AS/NZS 4401 - 2006 & AS/NZS 5065 - 2005							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application
Valsir	Valsir HDPE	VS0362125	Polyethylene: HDPE/Non-pressure below ground	WC extended bend	DN 110/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0382003	Polyethylene: HDPE/Non-pressure below ground	Adaptor (cast iron, steel)	DN 110/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0382005	Polyethylene: HDPE/Non-pressure below ground	Adaptor (cast iron, steel)	DN 110/140	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0382007	Polyethylene: HDPE/Non-pressure below ground	Adaptor (cast iron, steel)	DN 125/150	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0564251	Polyethylene: HDPE/Non-pressure below ground	PVC adaptor (solvent weld)	DN 110/125	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	392CU5	Polyethylene: HDPE/Non-pressure below ground	Ring Seal for Copper (Adaptor to Copper)	DN 100	n/a	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	392CU6	Polyethylene: HDPE/Non-pressure below ground	Ring Seal for Copper (Adaptor to Copper)	DN 150	n/a	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	392PVC5	Polyethylene: HDPE/Non-pressure below ground	Ring Seal for PVC Adaptor	DN 150	n/a	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0300119	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN200 (thickness 7.7 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0300121	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN250 (thickness 9.6 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0300123	Polyethylene: HDPE/Non-pressure below ground	pipe (length: 5000 mm)	DN315 (thickness 12.1 mm)	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0316179	Polyethylene: HDPE/Non-pressure below ground	Ventilation branch	DN160	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0344215	Polyethylene: HDPE/Non-pressure below ground	Double flange bushing	DN200	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0344217	Polyethylene: HDPE/Non-pressure below ground	Double flange bushing	DN250	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0344219	Polyethylene: HDPE/Non-pressure below ground	Double flange bushing	DN315	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310079	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 200/90	HDPE Black	AS/NZS 5065 - 2005
Valsir	Valsir HDPE	VS0310086	Polyethylene: HDPE/Non-pressure below ground	45° Reducing branch	DN 250/90	HDPE Black	AS/NZS 5065 - 2005

Tubi e raccordi (PE) per sistemi di tubazioni per scarichi (alta e bassa temperatura) all'interno dei fabbricati (AS/NZS 4401) ed interrati (AS/NZS 5065).

Pipes and fittings (PE) for piping system for discharge (high and low temperature) within buildings (AS/NZS 4401) and underground (AS/NZS 5065).

Licence No.: WM-000262							
Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Material	Application

**END RECORD**

**END RECORD**

*Rus Cheney*

Chief Executive Officer of the IAPMO Group

